

Eaton 9PXEIBM240RT

Catalog Number: 9PXEIBM240RT

Eaton 9PX EBM, 3U, used with 9PX 8-11 kVA 208V UPS models



General specifications

Product Name	Catalog Number
Eaton 9PX extended battery module (EBM)	9PXEIBM240RT
	UPC
	743172039286
Product Length/Depth	Product Height
27.6 in	5.1 in
Product Width	Product Weight
17.3 in	143 lb
Compliances	Certifications
CE Marked	NOM
FCC Part 15	cULus Listed
CISPR22 Class A / FCC part 15 Class A	IEC 62040-2:2006 Cat C2
	ENERGY STAR certified
Catalog Notes	
Add up to 5 extended battery modules (EBM)	

Battery

Battery replacement

Hot-swappable internal batteries and extended battery modules (EBMs)

Battery type

Sealed, lead-acid

Electrical input

Input cord length

1 ft

Environmental

Relative humidity

0-95% non-condensing

Temperature range

0° to 40°C (32° to 104°F)

Additional specifications

Form factor

Rack/tower

Rack size

3U

Rack mounting kit

Yes

Package contents

9PXEBM240RT 3U
extended battery module
4-post rail kit
Quick start guide
Joining brackets for tower
configuration
EBM connector cable

Used with

9PX 8-11 kVA 208V UPS models

Resources

Brochures

[Eaton 9PX 5-11 kVA UPS brochure](#)

[9PX UPS bundles configuration overview](#)

Drawings

[Battery Integration System Pro-E drawing](#)

[9PXEBM240RT Pro-E drawing](#)

Manuals and user guides

[9PX UPS \(8-11 kVA\) user guide](#)

[9PX battery integration system user guide](#)

Specifications and datasheets

[Eaton Specification Sheet - 9PXEBM240RT](#)



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com
© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are
property of their respective
owners.



[Eaton.com/socialmedia](https://www.eaton.com/socialmedia)