

Product data sheet

Specifications



Profinet communication card, Altivar, 100Mbits, 2 x RJ45 connectors

VW3A3327

⚠ Discontinued on: Jan 23, 2021

⚠ To be end-of-service on: Jan 24, 2026

⚠ Discontinued - Service only

**Product availability: Non-Stock - Not normally stocked in
distribution facility**

Main

Product or Component Type	Communication card
Range Compatibility	Altivar 71 Altivar 61
Communication Port Protocol	MRP (Media Redundancy Protocol) PROFINET
Connector Type	2 RJ45 connectors
Transmission Rate	100 Mbits
Physical interface	RJ45 PROFINET
Web services	Drive recorder Security Ethernet/IP setup Data editor Multi-language services Drive parameters IPar client settings FDR Agent Save/restore drive configuration Drive monitor Ethernet statistics

Complementary

Exchange mode	Full duplex
Communication data link	MAC : IEEE 802.3 LLC : IEEE 802.2
Communication network type	Ethernet CiA 402 IEC 61800-7-201 Ethernet PROFIdrive
Communication transport type	TCP CiA 402 IEC 61800-7-201 UDP PROFIdrive RT (real-time)
Web server	Embedded
Communication service	FTP IPar-server
Display type	1 LED Link (Link Status) 1 LED MS (Module Status) 1 LED NS (Network Status) 1 LED TX/RX (Transmit/Receive port 1) 1 LED TX/RX (Transmit/Receive port 2)
Product Weight	0.633 lb(US) (0.287 kg)

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Ordering and shipping details

Category	US1CP4C22135
Discount Schedule	CP4C
GTIN	3606480496950
Returnability	No
Country of origin	ID

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.83 in (7.200 cm)
Package 1 Width	6.69 in (17.000 cm)
Package 1 Length	9.17 in (23.300 cm)
Package 1 Weight	9.700 oz (275.000 g)
Unit Type of Package 2	S03
Number of Units in Package 2	7
Package 2 Height	11.81 in (30.000 cm)
Package 2 Width	11.81 in (30.000 cm)
Package 2 Length	15.75 in (40.000 cm)
Package 2 Weight	5.333 lb(US) (2.419 kg)
Unit Type of Package 3	P06
Number of Units in Package 3	56
Package 3 Height	29.53 in (75.000 cm)
Package 3 Width	23.62 in (60.000 cm)
Package 3 Length	31.50 in (80.000 cm)
Package 3 Weight	66.747 lb(US) (30.276 kg)

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Environmental footprint	
Carbon footprint (kg CO2 eq, Total Life cycle)	49
Environmental Disclosure	Product Environmental Profile

Use Better

Materials and Substances	
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	019506db-afc0-4f0c-aa81-986eb742c8db
California proposition 65	WARNING: This product can expose you to chemicals including: Lead and lead compounds, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov
PVC free	Yes

Use Again

Repack and remanufacture	
Circularity Profile	No need of specific recycling operations