

# Product data sheet

Specifications

SQUARE D



Transformer, control disconnect,  
3kVA, 1 phase, 240x480V primary,  
120V secondary, 115C rise

9070SK1000G1D1G14

⚠ Discontinued on: Jan 2, 2024

⚠ Discontinued

Product availability: Non-Stock - Not normally stocked in  
distribution facility

## Main

|                           |                                       |
|---------------------------|---------------------------------------|
| Device short name         | SK                                    |
| Enclosure type            | Standard environment enclosure indoor |
| Product or Component Type | Power supply source                   |
| Provided equipment        | Vario V3 switch-disconnector          |
| Range of Product          | Square D                              |

## Complementary

|                       |                                                |
|-----------------------|------------------------------------------------|
| Depth                 | 8.96 in (227.58 mm)                            |
| Design                | Standard                                       |
| Device mounting       | Surface                                        |
| Electrical connection | Screw clamp terminal                           |
| Height                | 9.4 in (238.8 mm)                              |
| Material              | Copper: winding                                |
| Mounting support      | Panel                                          |
| Phase                 | 1 phase                                        |
| Primary Voltage       | 240 x 480 V                                    |
| Rated power in VA     | 1000 VA                                        |
| Rated voltage         | 120 V auxiliary power supply<br>120 V isolated |
| Secondary Voltage     | 120 V                                          |
| Temperature rise      | 115 °C                                         |
| Width                 | 11.8 in (299.7 mm)                             |

## Environment

|                           |                                            |
|---------------------------|--------------------------------------------|
| Insulation temperature    | 356 °F (180 °C)                            |
| NEMA Degree of Protection | NEMA 1                                     |
| Product Certifications    | UL listed file E61239<br>CSA LR37055<br>CE |

## Ordering and shipping details

|          |              |
|----------|--------------|
| Category | US10CP821694 |
|----------|--------------|

Price is "List Price" and may be subject to a trade discount – check with your local distributor or retailer for actual price.

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

|                   |              |
|-------------------|--------------|
| Discount Schedule | 0CP8         |
| GTIN              | 785901739678 |
| Returnability     | No           |
| Country of origin | US           |

## Packing Units

|                              |                            |
|------------------------------|----------------------------|
| Unit Type of Package 1       | PCE                        |
| Number of Units in Package 1 | 1                          |
| Package 1 Height             | 11.80 in (29.972 cm)       |
| Package 1 Width              | 11.50 in (29.21 cm)        |
| Package 1 Length             | 15.40 in (39.116 cm)       |
| Package 1 Weight             | 37.0002 lb(US) (16.783 kg) |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[Environmental Data explained >](#)

[How we assess product sustainability >](#)

Use Better

|  Materials and Substances |                                                                                                                                                                                                                                                                                                  |
|------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Packaging made with recycled cardboard                                                                     | Yes                                                                                                                                                                                                                                                                                              |
| Packaging without single use plastic                                                                       | No                                                                                                                                                                                                                                                                                               |
| <a href="#">EU RoHS Directive</a>                                                                          | Compliant with Exemptions                                                                                                                                                                                                                                                                        |
| California proposition 65                                                                                  | <b>WARNING:</b> This product can expose you to chemicals including: Phenyl Glycidyl Ether, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a> |