


Data sheet | Item number: 282-301

End and intermediate plate; 4 mm thick; gray

www.wago.com/282-301



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Data

Physical data

Width	4 mm / 0.157 inch
Height	46 mm / 1.811 inch
Depth	36.5 mm / 1.437 inch

Material data

Note (material data)	Information on material data can be found here
Color	gray
Flammability class per UL94	V0
Fire load	0.115 MJ
Weight	3.8 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
PU (SPU)	100 (25) Stück
Packaging type	box
Country of origin VKOrg Germany	CN
GTIN	4017332286084
Customs tariff number VKOrg Germany	85389099990

Downloads

Documentation

Bid Text

282-301 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download
282-301 doc - Datei	2017 Jun 12	doc 22.5 kB	Download

Additional Information

Technical Section Technical explanations	pdf 2.2 MB	Download
---	---------------	----------

Subject to changes. Please also observe the further product documentation!



CAD/CAE-Data

CAD data

2D/3D Models 282-301	URL	Download
----------------------	-----	----------

CAE data

EPLAN Data Portal 282-301	URL	Download
---------------------------	-----	----------

WSCAD Universe 282-301	URL	Download
------------------------	-----	----------

ZUKEN Portal 282-301	URL	Download
----------------------	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 282-301	URL	Download
End and intermediate plate; 4 mm thick; gray		

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.