


Data sheet | Item number: 284-412

Jumper; for conductor entry; 2-way; insulated; gray

www.wago.com/284-412



Color: —

Data

Electrical data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.

**Ratings per IEC/EN**

Rated current	125 A
---------------	-------

Material data

Note (material data)	Information on material data can be found here
Color	gray
Fire load	0.05 MJ
Weight	13.7 g

Commercial data

PU (SPU)	100 (25) Stück
Packaging type	box
Country of origin VKOrg Germany	IN
GTIN	4045454074524
Customs tariff number VKOrg Germany	85366990990

Downloads**Documentation****Bid Text**

284-412 X81 - Datei	2019 Feb 19	xml 2.6 kB	Download
284-412 doc - Datei	2017 Sep 19	doc 23.0 kB	Download

Additional Information

Technical Section Technical explanations	pdf 2.2 MB	Download
---	---------------	----------

CAD/CAE-Data**CAD data**

2D/3D Models 284-412	URL	Download
----------------------	-----	----------

CAE data

Subject to changes. Please also observe the further product documentation!



WSCAD Universe 284-412	URL	Download
ZUKEN Portal 284-412	URL	Download
EPLAN Data Portal 284-412	URL	Download


Environmental Product Compliance

Compliance Search

Environmental Product Compliance 284-412 Jumper; for conductor entry; 2-way; insulated; gray	URL	Download
---	---------------------	--------------------------

Installation Notes


Commoning



Commoning with comb-style jumper bar.

Individual arrangement: 125 A

Two jumpers combined in one clamping unit:
100 A



Connecting 35 mm² (2 AWG) conductors to
commoned terminal blocks.

Screw clamp connection, side-entry wiring

Subject to changes. Please also observe the further product documentation!