Product specifications

Eaton EMIT00-10

Catalog Number: EMIT00-10

Eaton Metered Input rack PDU, 1U, 5-15P input, 1.44 kW max, 120V, 12A, 10 ft cord, Single-phase, Outlets: (12) 5-15R

General specifications

Product Name	**Catalog Number**
Eaton metered input rack PDU	EMIT00-10
UPC	**Product Length/Depth**
786685990170	8 in
Product Height	**Product Width**
1.69 in	19 in
Product Weight	**Warranty**
8.14 lb	3 year
Compliances	**Certifications**
Contact Manufacturer	UL Listed

Product specifications

Outlet control
No

Switchable
No

Cord length
10 ft

Phase
Single-phase

Input voltage
120V

Color
Black

Wattage
1.44 kW max

Form factor
1U

Mounting direction
Horizontal

Amperage Rating
12A

Input connection
5-15P

Outlets
(12) 5-15R

Series
Metered Input

Type
PDU

Fitted with:
Ampere Meter

Frequency rating
50-60 Hz

Operating Temperature
0° to 60°C (32° to 140°F)

Number of Outputs 5-15R

Resources

Certification reports
Eaton RoHS Declaration of Conformity: ePDU G3

Drawings
Eaton ePDU G3 Metered Input EMIT00-10 technical drawing

Eaton PDU EMIT00-10 technical drawing

Service & troubleshooting
EMIT00-10 eNMC replacement configuration file

Specifications and datasheets
Eaton Specification Sheet - EMIT00-10

User guides
Eaton ePDU G3 EMP installation and connection quick start guide

Eaton ePDU G3 installation and connectivity quick start guide

Eaton ePDU G3 instruction set - system objects

Eaton ePDU G3 operations manual

12

Ethernet interface

Yes

Circuit breaker

None

Serial interface

RS-232

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia