Product specifications

Eaton XTSC2P5BBMA-AE

Catalog Number: XTSC2P5BBMA-AE

Eaton XT IEC FVNR Manual Combination Motor Controller, Factory assembled, B-frame 45mm MMP, Combined with a 45 mm B-frame, 7 to 15A IEC contactor, Short circuit release: 35A, 110V/50 Hz, 120V/60 Hz coil, 1NO-1NC, Three-phase, 2.5A,110V/50

General specifications

Product Name
Eaton XT IEC motor control

Catalog Number
XTSC2P5BBMA-AE

UPC
786689060862

Product Length/Depth
1.77 in

Product Height
7.03 in

Product Width
3.77 in

Product Weight
4 lb

Certifications
IEC 60947-4-1 CE UL Listed file E245398 UL 508

Catalog Notes
Includes XTPAXLSA, MMP Line Side Adapter

Product specifications

Frame size

45 mm, 0.1 to 32 A MMP, 45 mm, 7 to 15 A contactor

Full load current range

1.6-2.5 A

Coil voltage

110-120 Vac, 50/60 Hz

Special features

Combined with a 45 mm B-frame, 7 to 15A IEC contactor, Short circuit release: 35A

Overload range

1.6-2.5 A

Frame

B MMP + B Contactor

Contact rating

2.5 A

Phase

Three-phase

Auxiliary contacts

1 NO, 1 NC

Class

Class 10

Amperage Rating

2.5A

Coil

110-120 Vac, 50/60 Hz

Resources

Catalogs

Motor Control and Protection

Specifications and datasheets

Eaton Specification Sheet - XTSC2P5BBMA-AE



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia