Product specifications

Eaton KTU-750

Catalog Number: KTU-750

Eaton Bussmann series KTU fuse, LIMITRON Fast-acting fuse, Large distribution switchboards, power panelboards, 750 A, Class L, Non-indicating, 200 kAIC at 600 Vac, Silver-plated end bells|Melamine glass tube, Bolt, Standard, 600 V

General specifications

Product Name
Eaton Bussmann series KTU fuse

Catalog Number
KTU-750

UPC
051712179508

EAN
5027590172820

Product Length/Depth
2.5 in

Product Height
8.63 in

Product Width
2.5 in

Product Weight
3.75 lb

Warranty
Not Applicable

Compliances
CE Marked
RoHS Compliant

Electrical rating

Amperage Rating

750 A

Interrupt rating

200 kAIC at 600 Vac

Voltage rating

600 V

Physical details

Material

Melamine glass tube

Silver-plated end bells

Packaging type

Standard

General information

Class

Class L

Fuse indicator

Non-indicating

Mounting method

Bolt

Special features

Ferrule design

Resources

Catalogs

KTU-750~LIMITRON FAST ACTING FUSE CLASS L

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - KTU-750



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia