Product specifications

Eaton EFS21275

Catalog Number: EFS21275

Eaton Crouse-Hinds series EFS selector switch control station, With selector switch, With one 3/4" hub, Feraloy iron alloy, Single-gang, 3, Dead end, Three-position, four-circuit, 3/4", 600 Vac

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series EFS selector switch control station	EFS21275
	UPC
	782274288505
Product Length/Depth	Product Height
5.9 in	4.88 in
Product Width	Product Weight
3.5 in	8.45 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

7

9

Product specifications

Enclosure type

With selector switch

Voltage rating

600 Vac

Number of gangs

Single-gang

Style

Dead end

Trade size

3/4"

Switch function

Three-position, four-circuit

Number Of Positions

3

Hub style

With one 3/4" hub

Material

Feraloy iron alloy

Resources

3D models

SP3D Design Package - EDS and EFS Explosionproof Control Stations

Catalogs

EFS explosionproof control stations for group B applications - catalog page

Certification reports

EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations UL certification

EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations Canadian certification

Installation instructions

IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations

IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies

Specifications and datasheets

Eaton Specification Sheet - EFS21275



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia