Product specifications

Eaton ENRC21202 M4

Catalog Number: ENRC21202 M4

Eaton Crouse-Hinds series Ark-Gard ENR Premier receptacle assembly, 20A, Single, 50-400 Hz, Copper-free aluminum, 6-20R, Single-gang, Through feed, 3/4", 250 Vac

General specifications

Product Name
Eaton Crouse-Hinds series Ark-Gard ENR Premier receptacle assembly

Catalog Number
ENRC21202 M4

UPC
662276174313

Product Length/Depth
6.78 in

Product Height
6.75 in

Product Width
3.5 in

Product Weight
1 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1
Class I, Division 2
Class II, Division 1
Class II, Division 2
Class III

NEMA Rating

3
3R
7
9
12

Product specifications

Number of gangs

Single-gang

Amperage Rating

20A

Voltage rating

250 Vac

Style

Through feed

Trade size

3/4"

NEMA configuration

6-20R

Cover type

Single

Material

Copper-free aluminum

Frequency rating

50-400 Hz

Resources

Catalogs

Ark-Gard ENR Premier Explosionproof NEMA Locking Devices catalog page

Certification reports

Ark-Gard ENP, ENR, ENC Explosionproof NEMA Locking Devices Canadian certification - ENR and ENP

Ark-Gard ENP, ENR, ENC Explosionproof NEMA Locking Devices UL certification - ENR and ENP

Installation instructions

IF 1588 - ENR M4 Series Receptacles

IF 344 - Ark-Gard ENR Receptacles ENP Model M97 Plugs

IF 1424 - DSD, GFS, CPS and ENR Replacement Covers

Specifications and datasheets

Eaton Specification Sheet - ENRC21202 M4



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia