Product specifications

Eaton 170M3396

Catalog Number: 170M3396

Fuse-link, high speed, 315 A, AC 1250 V, compact size 1, 45 x 59 x 75 mm, aR, IEC, UL, single indicator

General specifications

Product Name
Eaton Bussmann series high speed square body fuse

Catalog Number
170M3396

Model Code
FUSE 315A 1250V 1*BKN/75 AR CU

UPC
051712255936

EAN
5027590447485

Product Length/Depth
96 mm

Product Height
50 mm

Product Width
170 mm

Product Weight
158.5 g

Warranty
Not Applicable

Compliances
CE Marked
RoHS Compliant

Certifications
IEC Rated
UL Recognized

Product specifications

Interrupt rating

100 kAIC

Center-to-center distance of connections

74 mm

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Mounting method

Flush

Amperage Rating

315 A

Fuse type

Flush end

BKN/75 Type K Indicator for Micro

Fuse system (according to IEC 60269)

IEC 60269-4 flush end connections type A

Fitted with:

Type K Indicator for micro

Fuse size

1*

Voltage rating

1250 V (IEC), 1300 V (UL)

Fuse indicator

Centre fuse status indicator

Construction size

Other

Clearing (I2T)

115000 at 1000 V, 150000 at 1250 V

Rated voltage AC

1250 V

Color

None

Mounting dimension

M8

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

170M3396~Eaton Bussmann series high speed square body fuse

Compliance information

CE Fuse-links for the protection of semiconductor devices, sz1* up to 630A

UKCA Fuse-links for the protection of semiconductor devices, sz1* up to 630A

Specifications and datasheets

Eaton Specification Sheet - 170M3396

Utilization category

aR (accompanied semiconductor protection)

Watt losses

60 W

Type

Fuse

Fuse shape

Square body, flush end contacts

Breaking capacity

100 kA

Class

Class aR

Pre arc (I2T)

18500

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Voltage type

AC/DC

Packaging type

Standard

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia