Product specifications

Eaton CES4233

Catalog Number: CES4233

Eaton Crouse-Hinds series Arktite CES receptacle, 30A/60A, Through feed, 2-wire, 3-pole, Brass or hard-drawn copper contacts, Style 2, 3 HP, Feraloy iron, Single-phase, Spring door, 1-1/4", Delayed action circuit breaking, 120-240/480 Vac

General specifications

Product Name	**Catalog Number**
Eaton Crouse-Hinds series Arktite CES receptacle	CES4233
	UPC
	782274127705
Product Length/Depth	**Product Height**
6.13 in	12 in
Product Width	**Product Weight**
7 in	16.1 lb

Powering Business Worldwide

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Product specifications

Trade size

1-1/4"

Grounding style

Style 2

Configuration

Two-wire, three-pole

Phase

Single-phase

Horsepower

3 hp

Amperage Rating

30A/60A

Voltage rating

120-240 Vac/480 Vac

Receptacle style

Spring door

Back box style

Through feed

Material

Feraloy iron alloy

Contact material

Brass

Hand-drawn copper

Type

Delayed action circuit breaking

Resources

Catalogs

Arktite CES and CPH Explosionproof Receptacles and Plugs catalog page

Certification reports

Arktite CES and CPH Explosionproof Receptacles and Plugs UL certification

Arktite CES and CPH Explosionproof Receptacles and Plugs Canadian certification

Specifications and datasheets

Eaton Specification Sheet - CES4233

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia