Product specifications

Eaton TMCX165 BR NP

Catalog Number: TMCX165 BR NP

Eaton Crouse-Hinds series TMCX cable gland,Metal-cladcorrugated,TECK armoured and tray cable,Armoured barrier and non-armoured barrier, Nickel-plated brass, Outer Sheath:0.49-0.78", 1/2" NPT,Armor Range:0.44-0.65"

General specifications

Product Name	**Catalog Number**
Eaton Crouse-Hinds series TMCX cable gland	TMCX165 BR NP
	UPC
	782274172026
Product Length/Depth	**Product Height**
3.38 in	1.38 in
Product Width	**Product Weight**
1.38 in	0.78 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class II, Division 1

Class III

NEMA Rating

4

Product specifications

Protection type

Explosion-proof

Cable type

TECK armoured

Metal-clad with interlocked or continuously welded corrugated armoured

Tray cable

Gland type

Armoured Barrier and Non-armoured Barrier

Material

Nickel plated brass

Thread Size

1/2"

Thread type

NPT

Armor (min/max)

0.44-0.65"

Outer sheath (min/max)

0.49-0.78"

Resources

Catalogs

Crouse-Hinds series TMCX catalog page

Certification reports

TMCX Explosionproof Armoured Barrier Gland UL certification

Installation instructions

IF 1184 - TMCX Terminator Cable Fittings

Specifications and datasheets

Eaton Specification Sheet - TMCX165 BR NP



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia