Product specifications

Eaton 170M2675

Catalog Number: 170M2675

Fuse-link, high speed, 32 A, AC 1000 V, DIN 00, aR, DIN, IEC, single indicator, live gripping lugs

General specifications

Product Name
Eaton Bussmann series high speed square body fuse

Catalog Number
170M2675

UPC
051712579438

EAN
5027590442565

Product Length/Depth
79 mm

Product Height
60 mm

Product Width
30 mm

Product Weight
208.5 g

Warranty
Not Applicable

Compliances
Contact factory
RoHS Compliant

Product specifications

Fuse indicator

Top fuse status indicator

Interrupt rating

125 kAIC

Construction size

00

Rated voltage AC

1000 V

Color

None

Insulated metal gripping lugs (IMGL)

No

Current type

AC

Amperage Rating

32 A

Utilization category

aR (accompanied semiconductor protection)

Watt losses

11 W

Fuse type

DIN 43620

T indicator for micro

Bladed

Type

Fuse

Fuse system (according to IEC 60269)

Other

Fitted with:

Type T Indicator for micro

Fuse shape

Square body, knife blade contacts

Breaking capacity

125 kA

Fuse size

00

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

170M2675~Eaton Bussmann series high speed square body fuse

Compliance information

CE Fuse-links for the protection of semiconductor devices, sz00 up to 250A

UKCA Fuse-links for the protection of semiconductor devices, sz00 up to 250A

Specifications and datasheets

Eaton Specification Sheet - 170M2675

Class

Class aR

Voltage rating

1000 V (IEC)

Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

Voltage type

AC

Packaging type

Standard

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia