Product specifications

Eaton BHRC3583 NW

Catalog Number: BHRC3583 NW

Eaton Crouse-Hinds series BHR interlocked receptacle with switch, 30A, Through feed, Four-wire, five-pole, Brass contacts, Style 2, Copper-free aluminum, Threaded cap, Factory sealed, 1", 480 Vac

General specifications

Product Name
Eaton Crouse-Hinds series BHR interlocked receptacle with switch

Catalog Number
BHRC3583 NW

UPC
782274043890

Product Length/Depth
6.5 in

Product Height
27.25 in

Product Width
9.13 in

Product Weight
29 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

4

7

9

12

Product specifications

Enclosure type

With switch

Amperage Rating

30A

Configuration

Four-wire, five-pole

Trade size

1"

Receptacle style

Threaded cap

Back box style

Through feed

Grounding style

Style 2

Voltage rating

480 Vac

Material

Copper-free aluminum

Contact material

Brass

Special features

Factory sealed

Resources

Catalogs

BHR and SRD Explosionproof Interlock Receptacles catalog page

Certification reports

BHR and SRD Explosionproof Interlock Receptacles Canadian certification

BHR and SRD Explosionproof Interlock Receptacles UL certification

Installation instructions

IF 119 - BHR Interlock Receptacles

Specifications and datasheets

Eaton Specification Sheet - BHRC3583 NW



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia