Product specifications

Eaton ENR5151 M4

Catalog Number: ENR5151 M4

Eaton Crouse-Hinds series Ark-Gard ENR Premier receptacle, 15A, 50-400 Hz, Copper-free aluminum, 5-15R, 125 Vac

General specifications

Product Name
Eaton Crouse-Hinds series Ark-Gard ENR Premier receptacle

Catalog Number
ENR5151 M4

UPC
662276168091

Product Length/Depth
3.5 in

Product Height
5.09 in

Product Width
3.25 in

Product Weight
2.35 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

3R

7

9

12

Product specifications

Amperage Rating

15A

Voltage rating

125 Vac

Style

Dead end

NEMA configuration

5-15R

Material

Copper-free aluminum

Frequency rating

50-400 Hz

Resources

Catalogs

Ark-Gard ENR Premier Explosionproof NEMA Locking Devices catalog page

Certification reports

Ark-Gard ENP, ENR, ENC Explosionproof NEMA Locking Devices UL certification - ENR and ENP

Ark-Gard ENP, ENR, ENC Explosionproof NEMA Locking Devices Canadian certification - ENR and ENP

Installation instructions

IF 1424 - DSD, GFS, CPS and ENR Replacement Covers

IF 1588 - ENR M4 Series Receptacles

IF 344 - Ark-Gard ENR Receptacles ENP Model M97 Plugs

Specifications and datasheets

Eaton Specification Sheet - ENR5151 M4



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia