Product specifications

Eaton EDSC2140 SA

Catalog Number: EDSC2140 SA

Eaton Crouse-Hinds series EDS snap switch control station, 20A, With switch, With two 3/4" hubs, Copper-free aluminum, 1, Single-gang, Four-pole, 1, 120-277V, Through Feed, 4-way, 3/4", 120-277 Vac

General specifications

Product Name
Eaton Crouse-Hinds series EDS snap switch control station

Catalog Number
EDSC2140 SA

UPC
782274534459

Product Length/Depth
5.06 in

Product Height
5.875 in

Product Width
3.5 in

Product Weight
3.7 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

7

9

Product specifications

Enclosure type

With switch

Trade size

3/4"

Number Of Poles

Four-pole

Switch function

4-way

Number of gangs

Single-gang

Style

Through feed

Voltage rating

120-277 Vac

Amperage Rating

20A

Hub style

With two 3/4" hubs

Number of devices

1

Number of pushbuttons

1

Primary voltage range

120-277V

Material

Copper-free aluminum

Resources

Catalogs

EDS and EDSX Fully Assembled Snap Switches catalog page

Certification reports

EDS and EFD Explosionproof Snap Switches Canadian certification - snap switches

EDS and EFD Explosionproof Snap Switches Canadian certification - industrial control panels and assemblies

EDS and EFD Explosionproof Snap Switches UL certification - snap switches

EDS and EFD Explosionproof Snap Switches UL certification - industrial control panels and assemblies

Installation instructions

IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies

IF 242 - EDS and EDSC Control Stations

Specifications and datasheets

Eaton Specification Sheet - EDSC2140 SA

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia