Product specifications

Eaton KTN-R-225

Catalog Number: KTN-R-225

Eaton Bussmann series KTN-R fuse, LIMITRON Fast-acting fuse, 70/30 brass end cap, Panelboards, 225 A, 1, Class RK1, Non-indicating, Blade end x blade end, 100 kAIC at 250 Vdc|200 kAIC at 250 V, Melamine glass tube, Standard, 250 V, 250 Vdc

General specifications

Product Name
Eaton Bussmann series KTN-R fuse

Catalog Number
KTN-R-225

UPC
051712407212

Product Length/Depth
8.5 in

Product Height
2.06 in

Product Width
2.06 in

Product Weight
1.94 lb

Warranty
Not Applicable

Compliances
Not Applicable

Electrical rating

Amperage Rating

225 A

Interrupt rating

100 kAIC at 250 Vdc

200 kAIC at 250 Vac

Voltage rating

250 Vac, 250 Vdc

Physical details

Material

Melamine glass tube

Number of elements

1

Packaging type

Standard

General information

Class

Class RK1

Connection

Blade end x blade end

Fuse indicator

Non-indicating

Special features

70/30 brass end cap

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

Multimedia

Bussmann series Fuseology

Specifications and datasheets

Eaton Specification Sheet - KTN-R-225

Technical data sheets

KTN-R-225~LIMITRON FAST ACTING FUSE

Technical service bulletins

Datasheet - FNQ-30



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia