Product specifications

# Eaton DS511 SA

## Catalog Number: DS511 SA

Eaton Crouse-Hinds series DSD front operated pushbutton cover and device sub-assembly, 10A, Black, Copper-free aluminum, 3 circuits universal, 3 (3-operator) buttons, Factory sealed, 600 Vac

### General specifications

**Product Name**
Eaton Crouse-Hinds series DSD front operated pushbutton cover and device sub-assembly

**Catalog Number**
DS511 SA

**UPC**
782274462479

**Product Length/Depth**
9.38 in

**Product Height**
4.25 in

**Product Width**
6 in

**Product Weight**
3.75 lb

## Certifications and compliances

### Area classification

Hazardous/Classified Locations

### Standards type

NEC/CEC

### NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

### NEMA Rating

3

7

9

## Product specifications

### Voltage rating

600 Vac

### Number of cover buttons

3 (3 operator)

### Normal position

3 circuits universal

### Amperage Rating

10A

### Color

Black

### Material

Copper-free aluminum

### Special features

Factory sealed

## Resources

### Catalogs

DSD and DSDX Cover and Device Sub-assemblies catalog page

### Certification reports

DSD Explosionproof Cover and Device Sub-assemblies UL certification

DSD Explosionproof Cover and Device Sub-assemblies Canadian certification

### Installation instructions

IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations

IF 1929 - Toggle Operator for EDS, EDSX, EFD, DSD and DSDX Series

IF 1424 - DSD, GFS, CPS and ENR Series Replacement Covers

### Specifications and datasheets

Eaton Specification Sheet - DS511 SA




Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia