Product specifications

Eaton FWP-50A22FI

Catalog Number: FWP-50A22FI

Eaton Bussmann series FWP high speed fuse, 700 Vac, 700 Vdc (UL), 50A, 200 kAIC at 300 Vdc, 50 kAIC at 300 Vdc, With Indicator, High speed fuse, Ferrule end X ferrule end, Class aR, White, Ceremic

General specifications

Product Name
Eaton Bussmann series high speed cylindrical fuse

Catalog Number
FWP-50A22FI

UPC
051712542876

EAN
5027590500876

Product Length/Depth
58 mm

Product Height
23 mm

Product Width
23 mm

Product Weight
63.1 g

Warranty
Not Applicable

Compliances
CE Marked
RoHS Compliant

Certifications
UL Recognized

Product specifications

Interrupt rating
200 kAIC

Release characteristic
Other

Amperage Rating
50 A

Frequency rating - max
62 Hz

Fuse type
FWP-A22FI

Accessories
JM70100 Fuse base

Fitted with:
Striker

Fuse size
22 x 58 mm

Voltage rating
700 V

Fuse indicator
Top fuse status indicator

Construction size
22 mm x 58 mm

Clearing (I2T)
2200

Color
White

Connection
Ferrule end x ferrule end

Quantity
10

Material
Ceramic

Utilization category
aR (accompanied semiconductor protection)

Watt losses

Resources

Catalogs
IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Compliance information
CE FWC-*A10F,FWH-*A14F,FWP-*A14F,FWP-*A14FI etc

UKCA FWC-*A10F,FWH-*A14F,FWP-*A14F,FWP-*A14FI etc

Specifications and datasheets
Eaton Specification Sheet - FWP-50A22FI

12.5 W

Type

High speed fuse

Fuse shape

Cylindrical

Used with

Finger safe holders/blocks and striker

Breaking capacity

200 kA

Frequency rating - min

45 Hz

Class

Class aR

Pre arc (I2T)

155

Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

Voltage type

AC/DC

Packaging type

Standard

Powering Business Worldwide

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia