Product specifications

Eaton EDS31272

Catalog Number: EDS31272

Eaton Crouse-Hinds series EDS selector switch control station, With selector switch, With one 1" hub, Feraloy iron alloy, Two-position, four-circuit, 4, 1, Single-gang, 2, Dead end, 1", 600 Vac

General specifications

Product Name	**Catalog Number**
Eaton Crouse-Hinds series EDS selector switch control station	EDS31272
	UPC
	782274765020
Product Length/Depth	**Product Height**
5.9 in	5.44 in
Product Width	**Product Weight**
3.5 in	8.6 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

7

9

Product specifications

Enclosure type

With selector switch

Voltage rating

600 Vac

Number of gangs

Single-gang

Number of devices

1

Normal position

Two-position, four-circuit

Style

Dead end

Trade size

1"

Number Of Positions

2

Number of circuits

4

Hub style

With one 1" hub

Material

Feraloy iron alloy

Resources

3D CAD drawing package

Eaton Crouse-Hinds EDS31272 3D drawing

3D models

SP3D Design Package - EDS and EFS Explosionproof Control Stations

Catalogs

EDS/EDSX Hazardous Area Control Stations catalog page

Certification reports

EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations Canadian certification

EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations UL certification

Installation instructions

IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies

IF 372 - EDS Notice

IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations

Specifications and datasheets

Eaton Specification Sheet - EDS31272

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia