Product specifications

Eaton DSD921

Catalog Number: DSD921

Eaton Crouse-Hinds series DSD front operated pushbutton cover and device sub-assembly, 10A, Black, Feraloy iron alloy, 2 circuits universal, 2 buttons, Factory sealed, 600 Vac

General specifications

Product Name
Eaton Crouse-Hinds series DSD front operated pushbutton cover and device sub-assembly

Catalog Number
DSD921

UPC
782274576176

Product Length/Depth
5.3 in

Product Height
4.6 in

Product Width
6.7 in

Product Weight
3.95 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

7

9

Product specifications

Voltage rating

600 Vac

Number of cover buttons

2

Normal position

2 circuits universal

Amperage Rating

10A

Color

Black

Material

Feraloy iron alloy

Special features

Factory sealed

Resources

Catalogs

DSD and DSDX Cover and Device Sub-assemblies catalog page

Certification reports

DSD Explosionproof Cover and Device Sub-assemblies Canadian certification

DSD Explosionproof Cover and Device Sub-assemblies UL certification

Installation instructions

IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations

IF 1424 - DSD, GFS, CPS and ENR Series Replacement Covers

IF 1929 - Toggle Operator for EDS, EDSX, EFD, DSD and DSDX Series

Specifications and datasheets

Eaton Specification Sheet - DSD921



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia