Product specifications

Eaton SRD6584 NW

Catalog Number: SRD6584 NW

Eaton Crouse-Hinds series SRD interlocked receptacle with switch, 60A, Through feed, Four-wire, five-pole, Brass contacts, Style 2, Copper-free aluminum, Threaded cap, 1-1/4", 480 Vac

General specifications

Product Name
Eaton Crouse-Hinds series SRD interlocked receptacle with switch

Catalog Number
SRD6584 NW

UPC
782274083285

Product Length/Depth
7.25 in

Product Height
18.5 in

Product Width
9.94 in

Product Weight
21.15 lb

Product specifications

Grounding style

Style 2

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

Enclosure type

With switch

Configuration

Four-wire, five-pole

Material

Copper-free aluminum

Standards type

NEC/CEC

Amperage Rating

60A

Contact material

Brass

Back box style

Through feed

Trade size

1-1/4"

NEMA Rating

3

7

9

12

Area classification

Hazardous/Classified Locations

Receptacle style

Threaded cap

Voltage rating

480 Vac

Resources

Catalogs

BHR and SRD Explosionproof Interlock Receptacles catalog page

Certification reports

BHR and SRD Explosionproof Interlock Receptacles Canadian certification

BHR and SRD Explosionproof Interlock Receptacles UL certification

Installation instructions

IF 308 - SRD Interlock Receptacles

Specifications and datasheets

Eaton Specification Sheet - SRD6584 NW



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia