Product specifications

Eaton BHP3583 NW

Catalog Number: BHP3583 NW

Eaton Crouse-Hinds series BHP plug, 30A, 0.500-0.875" cable diameter, Four-wire, five-pole, Brass contacts, 60-400 Hz, Style 2, Copper-free aluminum, 480 Vac

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series BHP plug	BHP3583 NW
UPC	**Product Weight**
782274044613	5.35 lb

Powering Business Worldwide

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class III

Class II, Division 2

Class II, Division 1

NEMA Rating

3

4

9

12

7

Product specifications

Amperage Rating

30A

Configuration

Four-wire, five-pole

Cable diameter

0.500-0.875 in

Grounding style

Style 2

Voltage rating

480 Vac

Frequency rating

60-400 Hz

Material

Copper-free aluminum

Contact material

Brass

Resources

Catalogs

BHR and SRD Explosionproof Interlock Receptacles catalog page

Certification reports

BHR and SRD Explosionproof Interlock Receptacles UL certification

BHR and SRD Explosionproof Interlock Receptacles Canadian certification

Installation instructions

IF 119 - BHR Interlock Receptacles

Specifications and datasheets

Eaton Specification Sheet - BHP3583 NW



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia