Product specifications

Eaton EDS21273 SA

Catalog Number: EDS21273 SA

Eaton Crouse-Hinds series EDS selector switch control station, With selector switch, With one 3/4" hub, Copper-free aluminum, Three-position, two-circuit, 2, 1, Single-gang, 3, Dead end, 3/4", 600 Vac

General specifications

Product Name	Catalog Number
Eaton Crouse-Hinds series EDS selector switch control station	EDS21273 SA
	UPC
	782274516783
Product Length/Depth	Product Height
3.5 in	5.91 in
Product Width	Product Weight
5.44 in	3.6 lb

Certifications and compliances

Area classification

Hazardous/Classified Locations

Standards type

NEC/CEC

NEC hazardous rating

Class I, Division 1

Class I, Division 2

Class II, Division 1

Class II, Division 2

Class III

NEMA Rating

3

7

9

Product specifications

Enclosure type

With selector switch

Voltage rating

600 Vac

Number of gangs

Single-gang

Number of devices

1

Normal position

Three-position, two-circuit

Style

Dead end

Trade size

3/4"

Number Of Positions

3

Number of circuits

2

Hub style

With one 3/4" hub

Material

Copper-free aluminum

Resources

3D models

SP3D Design Package - EDS and EFS Explosionproof Control Stations

Catalogs

EDS/EDSX Hazardous Area Control Stations catalog page

Certification reports

EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations UL certification

EDS and EFS Explosionproof Pushbutton, Pilot Light, and Selector Switch Control Stations Canadian certification

Installation instructions

IF 372 - EDS Notice

IF 899 - EDSX, EDS, EFS, DSDX and DSD Control Stations

IF 328 - EDS, EFS, EDSC and EFSC Single- and Two-gang Device Bodies

Specifications and datasheets

Eaton Specification Sheet - EDS21273 SA

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia