Product specifications

Eaton 1MP6126RRL

Catalog Number: 1MP6126RRL

Eaton meter pack, Socket amperage: 125A, Amperage rating: 125A, Aluminum, Bus rating: 600A, No bypass, Indoor/outdoor, Up to 100 KAIC, Five-jaw, 6 Sockets, Single-phase in/single-phase out, Ringless, 120/240 Vac, NEMA 3R

General specifications

Product Name
Eaton meter pack

Catalog Number
1MP6126RRL

UPC
786849052515

Product Length/Depth
7.01 in

Product Height
41.59 in

Product Width
36.28 in

Product Weight
114.5 lb

Warranty
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Certifications
UL Listed

Product specifications

Interrupt rating

Up to 100 KAIC

Utility approvals

NC : Dominion
VA : Dominion
GA : Georgia Power
KS : Kansas City Power and Light (KCPL) / Westar Energy
MO : Kansas City Power and Light (KCPL) / Westar Energy
TN : Middle Tennessee EMC
FL : Tallahassee City Electric
IN : Indiana Michigan Power (IMP) (AEP East)
MI : Indiana Michigan Power (IMP) (AEP East)
OH : AEP Ohio (AEP East)
TN : Appalachian Power (AEP East)
VA : Appalachian Power (AEP East)
WV : Appalachian Power (AEP East)

Bus material

Aluminum

Number of jaws

Five-jaw

Enclosure

Indoor/outdoor

Security

Ringless

Amperage Rating

125A

Socket amperage

125A

Secondary circuit breaker

BR2_, BRH2_, BRHH2_, BRX2_

Number of sockets

6

Bypass

None

Bus Rating

600 A

Voltage rating

Resources

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - METER PACKS, DIMENSIONS, 125A, 6 METER DEVICE

Specifications and datasheets

Eaton Specification Sheet - 1MP6126RRL

120/240 V

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia