Product specifications

Eaton RDU303306

Catalog Number: RDU303306

Eaton Redapt RDU Reducer, M50 Male x M40 Female, Brass, Unplated

General specifications

Product Name
Eaton Redapt Metallic Adaptor and Reducer - Adaptor

Catalog Number
RDU303306

EAN
5056009963810

Product Length/Depth
35 mm

Product Height
60.125 mm

Product Width
52.07 mm

Product Weight
0.328 kg

Warranty
No warranty

Compliances
Contact Manufacturer
Multiple listings- contact manufacturer

Product specifications

NEC hazardous rating

Class I, Division 1

Class II, Division 2

Class III

Class I, Zone 1

Insulator

Non-insulated

Shape

Standard

Ingress protection (IP) ratings

IP66

IP67

IP68

End 1 Size

1 1/2" NPT

Material

Stainless steel

Standards type

IEC

Gender end 1

Male

Type of adapter/reducer

Standard

End 2 Type

Metric

Gender end 2

Female

End 1 Type

NPT

End 2 Size

M32

NEMA Rating

4X

6P

Area classification

Hazardous/Classified Locations

Resources

Brochures

Oil and Gas Global catalogue

Certification reports

EAC Certificate - Adaptors, reducers and unions

CCoE Certificate - Reducers

CSA Quality Assurance Notification Certificate

INMETRO Certificate - Adaptors, reducers, unions and plugs

ATEX Certificate - Adaptors, reducers and unions

IECEx Quality Assessment Report

Raxton and Redapt Regulatory instructions

CSA Certificate - Adaptors, reducers, unions and plugs

CCoE Certificate - Adaptors

IECEx Certificate - Adaptors, reducers and unions

Technical data sheets

Redapt AF-U adaptors - Datasheet

Redapt AD-U adaptors and RD-U reducers - Datasheet

Redapt AM-U adaptors - Datasheet

Plating

Unplated

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia