Product specifications

Eaton AH6810U

Catalog Number: AH6810U

Eaton manual motor controller, Switch only, #14-10 AWG, 30A, Industrial, Panel, 600V, Front wired, Maintained contact, Black, Open, Two-pole, -20-65˚C, Single-phase, Toggle switch, Copper-alloy terminal, brass screw, Single-throw, Nylon



General specifications

Product Name
Eaton manual motor controller

Catalog Number
AH6810U

UPC
040893616858

Product Length/Depth
3.75 in

Product Height
2.38 in

Product Width
2.38 in

Product Weight
0.35 lb

Compliances
NAFTA
RoHS Compliant

Certifications
cULus Listed

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Enclosure
Open

Special features
Switch only

Type
Manual motor controller

Amperage Rating
30A

Voltage rating
600 V

Number Of Poles
Two-pole

Phase
Single-phase

Application
Industrial

Device grade
Industrial

Wiring method
Front wired screw

Contact type
Maintained

Switch type
Toggle switch

Mounting method
Panel

Closure type
Maintained

Number of positions
2

Allowable wire size
#14-10 AWG

Operating temperature
-20 to 65 °C

Resources

Brochures
Arrow Hart motor controllers and disconnects brochure

Specifications and datasheets
Eaton Specification Sheet - AH6810U

Material

Glass-filled nylon

Termination style

Front screw

Throw

Single-throw

Terminals

Copper-alloy, brass screw

Color

Black

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia