Product specifications

Eaton FWX-12A14F

Catalog Number: FWX-12A14F

Eaton Bussmann series FWX high speed fuse, 12A, Non Indicating, High speed fuse, Ferrule end X ferrule end



General specifications

Product Name
Eaton Bussmann series high speed cylindrical fuse

Catalog Number
FWX-12A14F

UPC
051712795562

EAN
5027590501330

Product Length/Depth
55 mm

Product Height
32 mm

Product Width
73 mm

Product Weight
21.2 g

Warranty
Not Applicable

Compliances
RoHS Compliant

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Type

High speed fuse

Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

Amperage Rating

1200 A

Accessories

CH14 Modular fuse holder
FW14-PCB

Breaking capacity

200 kA

Frequency rating - max

62 Hz

Frequency rating - min

45 Hz

Fuse indicator

Other

Release characteristic

Other

Utilization category

aR (accompanied semiconductor protection)

Voltage type

AC

Fuse size

14 x 51 mm

Class

Class aR

Fuse shape

Cylindrical

Interrupt rating

200 kAIC

Connection

Ferrule end x ferrule end

Construction size

Resources

Catalogs

IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

14 mm x 51 mm

Material

Ceramic

Packaging type

Standard

Voltage rating

700 V

Fuse type

FWX-A14F

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia