Product specifications

Eaton EHBPL2000R-PDU1U



Catalog Number: EHBPL2000R-PDU1U

Eaton Basic rack PDU, 1U - EHBPL2000R-PDU1U

General specifications

Product Name	**Catalog Number**
Eaton HotSwap MBP	EHBPL2000R-PDU1U
UPC	**Product Length/Depth**
743172067357	17.3 in
Product Height	**Product Width**
2.1 in	3.8 in
Product Weight	**Warranty**
0.0001 lb	3 year
Compliances	**Certifications**
Contact Manufacturer	UL Listed

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Type

PDU

Form factor

2U

Outlet control

No

Operating Temperature

0° to 60°C (32° to 140°F)

Mounting direction

Horizontal

Color

Black

Input connection

5-20P

Cord length

8 ft

Wattage

1.92 kW max

Amperage Rating

16A

Input voltage

110-125V

Phase

Single-phase

Frequency rating

50-60 Hz

Outlets

(6) 5-20R

Number of Outputs 5-20R

6

Circuit breaker

None

Resources

Brochures

Eaton Flex and Hotswap MBP ePDU brochure

Drawings

Eaton FlexPDU EHBPL 2000R-PDU1U technical drawing

Eaton ePDU visio stencils

Manuals and user guides

Eaton FlexPDUs and HotSwap MBP installation and user manual

Specifications and datasheets

Eaton Specification Sheet - EHBPL2000R-PDU1U



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia