Product specifications

Eaton EHBPL3000R-PDU1U



Catalog Number: EHBPL3000R-PDU1U

Eaton Basic rack PDU, 1U - EHBPL3000R-PDU1U

General specifications

Product Name	**Catalog Number**
Eaton HotSwap MBP	EHBPL3000R-PDU1U
UPC	**Product Length/Depth**
743172067364	17.3 in
Product Height	**Product Width**
2.1 in	3.8 in
Product Weight	**Warranty**
0.0001 lb	3 year
Compliances	**Certifications**
Contact Manufacturer	UL Listed

Powering Business Worldwide

Product specifications

Outlet control
No

Cord length
1m

Phase
Single-phase

Input voltage
110-125V

Color
Black

Wattage
2.88 kW max

Form factor
2U

Mounting direction
Horizontal

Amperage Rating
24A

Input connection
L5-30P

Outlets
(5) 5-20R

Type
PDU

Frequency rating
50-60 Hz

Number of Outputs 5-20R
5

Operating Temperature
0° to 60°C (32° to 140°F)

Circuit breaker
(2) 20A

Resources

Brochures
Eaton Flex and Hotswap MBP ePDU brochure

Drawings
Eaton ePDU visio stencils

Eaton FlexPDU EHBPL 3000R-PDU1U technical drawing

Manuals and user guides
Eaton FlexPDUs and HotSwap MBP installation and user manual

Specifications and datasheets
Eaton Specification Sheet - EHBPL3000R-PDU1U



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia