Product specifications

# Eaton 170M7061




## Catalog Number: 170M7061

Fuse-link, high speed, 1600 A, AC 690 V, 200 kA, size 4, 67 x 105 x 105 mm, aR, IEC, single indicator

### General specifications

**Product Name**
Eaton Bussmann series high speed square body fuse

**Catalog Number**
170M7061

**UPC**
051712266451

**EAN**
5027590463485

**Product Length/Depth**
41.798 mm

**Product Height**
53.01 mm

**Product Width**
137.998 mm

**Product Weight**
2150 g

**Warranty**
Not Applicable

**Compliances**
CE Marked
RoHS Compliant

**Certifications**
UL Recognized
IEC Rated

Powering Business Worldwide

## defaultTaxonomyAttributeLabel

### Type

Fuse

### Application

Semiconductor, DC Common bus, DC drives, power converters/rectifiers

### Amperage Rating

1600 A

### Breaking capacity

200 kA

### Fuse indicator

Top fuse status indicator

### Insulated metal gripping lugs (IMGL)

No

### Temperature rating

>60°C

### Utilization category

aR (accompanied semiconductor protection)

### Voltage type

AC

### Fuse size

4

### Rated voltage AC

690 V

### Center-to-center distance of connections

66.6 mm

### Current type

AC

### Mounting dimension

M10

### Class

Class aR

### Clearing (I2T)

2050000 at 660 V

### Watt losses

220 W

## Resources

### Catalogs

eaton-product-overview-for-machinery-catalogue-ca08103003zen-en-us.pdf

Bussmann series complete full line catalog no. 1007

170M7061~Eaton Bussmann series high speed square body fuse

Pre arc (I2T)

305000

Color

None

Interrupt rating

200 kAIC

Construction size

4

Mounting method

Flush

Packaging type

Standard

Voltage rating

690 V, 700 V

Fuse type

Flush end

B/65 Visual indicator

Fuse system (according to IEC 60269)

Other

---

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia