Product specifications

Eaton XTSC6P3BBMA-AE

Catalog Number: XTSC6P3BBMA-AE

Eaton XT IEC FVNR Manual Combination Motor Controller, Factory assembled, B-frame 45mm MMP, Combined with a 45 mm B-frame, 7 to 15A IEC contactor, Short circuit release: 140A, 110V/50 Hz, 120V/60 Hz coil, 1NO-1NC, Three-phase, 6.3A,110V/50



General specifications

Product Name
Eaton XT IEC motor control

Catalog Number
XTSC6P3BBMA-AE

UPC
786689060879

Product Length/Depth
1.77 in

Product Height
7.03 in

Product Width
3.77 in

Product Weight
4 lb

Certifications
UL Listed file E245398
UL 508
IEC 60947-4-1
CE

Catalog Notes
Includes XTPAXLSA, MMP Line Side Adapter

Powering Business Worldwide

Product specifications

Frame size

45 mm, 0.1 to 32 A MMP, 45 mm, 7 to 15 A contactor

Full load current range

4-6.3 A

Coil voltage

110-120 Vac, 50/60 Hz

Special features

Combined with a 45 mm B-frame, 7 to 15A IEC contactor, Short circuit release: 88.2A

Overload range

4-6.3 A

Frame

B MMP + B Contactor

Contact rating

6.3 A

Phase

Three-phase

Auxiliary contacts

1 NO, 1 NC

Class

Class 10

Amperage Rating

6.3A

Coil

110-120 Vac, 50/60 Hz

Resources

Catalogs

Motor Control and Protection

Specifications and datasheets

Eaton Specification Sheet - XTSC6P3BBMA-AE



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia