Product specifications

Eaton FWP-6.3A14F

Catalog Number: FWP-6.3A14F

Eaton Bussmann series FWP high speed fuse, 700 Vdc (UL), 6.3A, 50 kAIC at 700 Vdc, Non Indicating, High speed fuse, Ferrule end X ferrule end, Class aR, White, Ceramic



General specifications

Product Name
Eaton Bussmann series high speed cylindrical fuse

Catalog Number
FWP-6.3A14F

Model Code
6.3A 700V DC FERRULE 14x51mm

UPC
051712509244

EAN
5027590171212

Product Length/Depth
51 mm

Product Height
14 mm

Product Width
14 mm

Product Weight
21.2 g

Warranty
Not Applicable

Compliances
Contact factory
RoHS Compliant

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Type

High speed fuse

Application

protection of DC common bus, DC drives, power converters/rectifiers and reduced voltage starters

Amperage Rating

6.3 A

Accessories

CH14 Modular fuse holder
FW14-PCB

Breaking capacity

50 kA

Frequency rating - max

62 Hz

Frequency rating - min

45 Hz

Fuse indicator

Non Indicating

Release characteristic

Other

Utilization category

aR (accompanied semiconductor protection)

Voltage type

DC

Fuse size

14 x 51 mm

Class

Class aR

Watt losses

4.2 W

Fuse shape

Cylindrical

Color

White

Interrupt rating

Resources

Catalogs

Bussmann series complete full line catalog no. 1007

Compliance information

CE FWC-*A10F,FWH-*A14F,FWP-*A14F,FWP-*A14FI etc

UKCA FWC-*A10F,FWH-*A14F,FWP-*A14F,FWP-*A14FI etc

200 kAIC

Connection

Ferrule end x ferrule end

Construction size

14 mm x 51 mm

Material

Ceramic

Packaging type

Standard

Voltage rating

700 V

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia