Product specifications

Eaton CH32B200R



Catalog Number: CH32B200R

Eaton CH main breaker loadcenters,Standard,Main breaker,200 A,J,Copper,NEMA 3R,Metallic,25 kAIC,CSR,32,32,Three-wire,Single-phase,#2/0 AWG-300 kcmil,Overhead,120/240 V

General specifications

Product Name
Eaton CH main breaker loadcenter

Catalog Number
CH32B200R

UPC
782113098135

Product Length/Depth
34.13 in

Product Height
5.19 in

Product Width
14.31 in

Product Weight
15.8 lb

Warranty
Limited lifetime

Certifications
UL 67
UL 50

Catalog Notes
Furnished with tub hub closure plates for rainproof hubs, refer to page 3-22. Loadcenter contains single insulated/bondable neutral.

Powering Business Worldwide

Product specifications

Number of spaces

32

Special features

Standard

Interrupt rating

25 kAIC

Phase

Single-phase

Wire size

#2/0 AWG-300 kcmil

Bus material

Copper

Main circuit breaker

CSR

Enclosure

NEMA 3R

Amperage Rating

200 A

Enclosure material

Metallic

Type

Main breaker

Feed type

Overhead

Number of wires

3

Number of circuits

32

Voltage rating

120/240 V

Box size

J

Resources

Brochures

Type CH Circuit Breakers and Loadcenters

Loadcenters and Circuit Breakers

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - CH 3/4 LOADCENTER, CSR MAIN BREAKER, OUTDOOR NEMA 3R, 120/240 VAC, 1 PH

Installation instructions

Cutler-Hammer Type CH and BR Loadcenters - Instructions

Multimedia

AFCI Educational Video

Specifications and datasheets

Eaton Specification Sheet - CH32B200R



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia