Product specifications

Eaton M22-C3-M2V

Catalog Number: M22-C3-M2V

M22 Control Station, 22.5 mm, Top-bottom: indicating light, button, button, Momentary, Illuminated, Light: White, Inscription: START, STOP/ S1, S0, 85-264 Vac, NO, NC, IP66, UL (NEMA) Type 4X, 13, Vertical, Base: Black, Enclosure: Gray



General specifications

Product Name
Eaton M22 pushbutton control station

Catalog Number
M22-C3-M2V

UPC
786685283043

Product Length/Depth
6.02 in

Product Height
2.7 in

Product Width
3.15 in

Product Weight
1.275 lb

Warranty
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances
CE Marked
GoST-R
Bureau Veritas

Certifications
CCC Marked
CSA Certified
Lloyd's Register Certified

Catalog Notes
25% smaller depth than most competitor enclosures. Imoact resistant polycarbonate enclosure.

Powering Business Worldwide

Product specifications

Contact configuration

85-264 Vac, NO, NC

Light color

White

Enclosure color

Gray

Etching code

S1, S0

Size

22.5 mm

Orientation

Vertical

Base

Black

Series

M22

Type

Control Station

Inscription

START, STOP

Environmental rating

IP66, NEMA 4X, NEMA 13

Illumination

Illuminated

Actuator function

Momentary

Voltage rating

85-264 V

Actuator

Pushbuttons, top indicating light, middle flush, bottom extended

Resources

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Specifications and datasheets

Eaton Specification Sheet - M22-C3-M2V



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia