Product specifications

Eaton MB816B200BTS



Catalog Number: MB816B200BTS

Eaton resi meter breaker, feed through lugs, All-in-ones, 200 A, C, Aluminum, NEMA 3R, Bottom and top, #6-350 kcm10 kAIC, #6-350 kcmCSR2200, Surface mounting, 16, Four-jaw, 1, 8, Single-phase, Ringless, Used with BR breakers, 120/240 Vac

General specifications

Product Name
Eaton residential meter breaker

Catalog Number
MB816B200BTS

UPC
782114858615

Product Length/Depth
5.38 in

Product Height
32.38 in

Product Width
14.44 in

Product Weight
40.62 lb

Warranty
10 year

Certifications
UL Listed

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Type

All-in-ones

Utility approvals

ME : Central Maine Power
NC : Dominion
VA : Dominion
MO : Empire District Electric
OK : Empire District Electric
AR : Entergy
LA : Entergy
MS : Entergy
TX : Entergy
MD : First Energy (Potomac Edison)
VA : First Energy (Potomac Edison)
WV : First Energy (Mon Power)
NJ : First Energy (Jersey Central Power and Light)
OH : First Energy (Ohio Edison, Toledo Edison, The Illuminating Company)
PA : First Energy (Allegheny Power, MET ED, Penelec, West Penn Power)
FL : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric)
IN : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric)
KY : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric)
NC : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric)
OH : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric)
SC : MEG (Duke Energy, Florida Power, Tampa Electric, Gulf Power, Oklahoma Gas and Electric)
NY : Rochester Gas & Electric (RG&E)
AL : Alabama Power

Interrupt rating

10 kAIC

Box size

C

Enclosure

NEMA 3R

Ground

#6-350 kcmil

Resources

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - METER BREAKER EAST COAST STYLE

Specifications and datasheets

Technical Data Residential Meter Breakers: Type CH and BR Residential

Eaton Specification Sheet - MB816B200BTS

Voltage rating

120/240 V

Number of sockets

1

Phase

Single-phase

Number of circuits

16

Bus material

Aluminum

Feed type

Top/bottom

Main circuit breaker

CSR2200

Number of jaws

Four-jaw

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia