Product specifications

Eaton BR612L125SDGP

Catalog Number: BR612L125SDGP

Eaton Eaton BR main lug loadcenter,Dual grounds, 125 A,7,Aluminum, NEMA 1,Metallic,10 kAIC,BR,Surface,NEMA 1,12 Circuits,Twenty-four pole,6 Spaces,Three-wire,Single-phase,Type BR 1-inch breakers,120/240V,#14-1 AWG Cu/Al



General specifications

Product Name	**Catalog Number**
Eaton BR main lug loadcenter	BR612L125SDGP
UPC	**Product Length/Depth**
786676002097	3.56 in
Product Height	**Product Width**
13 in	11 in
Product Weight	**Warranty**
12 lb	10 year
Certifications	**Catalog Notes**
UL 67 UL 50	Gbk5 and gbk520 ground bars

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Special features

Dual grounds, current design

Type

Main lug

Amperage Rating

125 A

Bus material

Aluminum

Cover

Cover included

Main circuit breaker

BR

Mounting

Surface

Number of circuits

12

Number of spaces

6

Phase

Single-phase

Voltage rating

120/240V

Wire size

#14-1 AWG Cu/Al

Box size

7

Enclosure

NEMA 1

Enclosure material

Metallic

Interrupt rating

10 kAIC

Number of wires

3

Resources

Brochures

Loadcenters and Circuit Breakers

Type BR Arc Fault Circuit Breakers and Loadcenters

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Installation instructions

Cutler-Hammer Type CH and BR Loadcenters - Instructions

Specifications and datasheets

Eaton Specification Sheet - BR612L125SDGP



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia