Product specifications

# Eaton FWP-32G22F




## Catalog Number: FWP-32G22F

Eaton Bussmann series FWP high speed fuse, 690V, 32 A, 200 kAIC, Non Indicating, Ferrule end X ferrule end

### General specifications

**Product Name**
Eaton Bussmann series high speed cylindrical fuse

**Catalog Number**
FWP-32G22F

**UPC**
051712689687

**EAN**
5027590500678

**Product Length/Depth**
58 mm

**Product Height**
22 mm

**Product Width**
22 mm

**Product Weight**
46.3 g

**Warranty**
No warranty

**Compliances**
CE Marked
RoHS Compliant

**Certifications**
UL Recognized
IEC Rated

Powering Business Worldwide

## Product specifications

### Fuse indicator
Other

### Interrupt rating
200 kAIC

### Construction size
22 mm x 58 mm

### Clearing (I2T)
616

### Connection
Ferrule end x ferrule end

### Material
Ceramic

### Release characteristic
Other

### Amperage Rating
32 A

### Frequency rating - max
62 Hz

### Utilization category
gR (general purpose semiconductor protection)

### Watt losses
9.21 W

### Fuse type
FWP-G22F

### Accessories
CH22 Modular fuse holder

### Type
High speed fuse

### Fuse shape
Cylindrical

### Breaking capacity
200 kA

### Fuse size
22 x 58 mm

### Frequency rating - min

## Resources

### Catalogs
IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

### Compliance information
CE High-speed, cylindrical gR fuse-links

UKCA High-speed, cylindrical gR fuse-links

### Technical data sheets
10469 22 x 58 mm gR cylindrical fuse links

45 Hz

### Class

Class gR

### Pre arc (I2T)

97

### Voltage rating

690 V

### Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

### Voltage type

AC

### Packaging type

Standard

---

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia