Product specifications

Eaton A30CRE45CA5E045

Catalog Number: A30CRE45CA5E045

Eaton definite purpose 3-phase starter, Non-reversing, Common ctrl, Open w/ DIN rail mount adapter, Lugs w/o quick connect terms, 45 A, 440/480 V coil, 1NO pressure plate, Std. C440 OLR SEL reset, SEL class, 9-45 A overload



General specifications

Product Name
Eaton definite purpose starter

Catalog Number
A30CRE45CA5E045

UPC
786685955186

Product Length/Depth
6.4 in

Product Height
4.63 in

Product Width
2.66 in

Product Weight
1.6 lb

Warranty
1 year

Certifications
UL Listed
CSA Certified

Powering Business Worldwide

Product specifications

Contact configuration

1 NO pressure plate

Inductive full load

45 A

Overload range

9-45 A

Phase

Three-phase

Olr model designation

SEL class

Std. C440 OLR SEL reset

Control characteristics

Common control

Enclosure

Open with DIN rail mounting adapter

Amperage Rating

440-480 V, 50/60 Hz

Coil

440/480 Vac

Type

Non-reversing

Model

Starter

Terminals

Lugs without quick connect terms

Current range

45 A

Resources

Specifications and datasheets

Eaton Specification Sheet - A30CRE45CA5E045



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia