Product specifications

Eaton BR3040L200



Catalog Number: BR3040L200

Eaton Eaton BR main lug loadcenter ,Dual grounds, current design,Main lug,125 A,7,Aluminum,Cover included,NEMA 1,Metallic,10 kAIC,BR,Flush,NEMA 1,16 Circuits,Twenty-four pole

General specifications

Product Name	**Catalog Number**
Eaton BR main lug loadcenter	BR3040L200
UPC	**Product Length/Depth**
786676447652	3.88 in
Product Height	**Product Width**
29.13 in	14.31 in
Product Weight	**Warranty**
30 lb	10 year
Certifications	**Catalog Notes**
UL 50 UL 67	Has notch for brhdk125 hold-down kit.

Powering Business Worldwide

Product specifications

Number of spaces
30

Special features
No feed-thru lugs

Interrupt rating
25 kAIC

Phase
Single-phase

Wire size
#1 AWG-300 kcmil Cu/Al

Bus material
Aluminum

Main circuit breaker
BWH

Enclosure
NEMA 1

Amperage Rating
200 A

Mounting
Combination

Enclosure material
Metallic

Type
Main lug

Cover
Cover included

Used with
Type BR 1-inch breakers

Number of wires
3

Number of circuits
40

Voltage rating
120/240V

Box size

Resources

Brochures
Loadcenters and Circuit Breakers

Type BR Arc Fault Circuit Breakers and Loadcenters

Catalogs
Eaton's Volume 1—Residential and Light Commercial

Drawings
Dimensional Drawing - BR 1 LOADCENTER, MAIN LUG ONLY, INDOOR NEMA 1, 120/240 VAC, 1 PHASE

Installation instructions
Cutler-Hammer Type CH and BR Loadcenters - Instructions

Specifications and datasheets
Eaton Specification Sheet - BR3040L200

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia