Product specifications

Eaton 7543PMURF

Catalog Number: 7543PMURF

Eaton LV Unipak capacitor bank, UNIPAK, Low Voltage Fixed Capacitor Banks, 90A, 480V, Three-phase, 75 kVAR, Protected, Neon red blown-fuse indicating lights, Three slottedblade-type fuses, C1 Frame



General specifications

Product Name
Eaton LV Unipak capacitor bank

Catalog Number
7543PMURF

UPC
782116058860

Product Length/Depth
10.6 in

Product Height
26.3 in

Product Width
12.1 in

Product Weight
65 lb

Warranty
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Certifications
CSA Certified
UL Listed

Catalog Notes
Multiply the 240V kVAR rating by 0.75 to calculate the kVAR value at 208V.

Powering Business Worldwide

Product specifications

Fuse type

Three slottedblade type fuses with 200,000 ampere interrupting capacity

Product Category

Low Voltage Fixed Capacitor Banks

Enclosure material

14 gauge steel finished with durable powder coat finish

Frame size

C1

Type

UNIPAK

Phase

Three-phase

Rating

75 kVAR

Enclosure

NEMA 1, NEMA 3R

Voltage rating

480 V

Amperage Rating

90A

Protection

Three fuses, three lights

Indicators

Red, neon blown-fuse indicating lights are protected by transparent weatherproof guard

Resources

Brochures

Low voltage fixed and switched capacitor banks

Catalogs

Eaton's Volume 3—Power Distribution and Control Assemblies

Specifications and datasheets

Low Voltage Power Factor Correction Capacitor Banks and Harmonic Filters

Eaton Specification Sheet - 7543PMURF



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia