Product specifications

Eaton M22S-D-S-K01

Catalog Number: M22S-D-S-K01

Eaton 22.5 mm RMQ-Titan Pushbutton,Black Actuator,Black bezel,1NC,IP67, IP69K,Non-illuminated,Flush mounting,NEMA 4X, 13,5,000,000 operations,Momentary,22.5 mm,Flush Pushbutton,M22



General specifications

Product Name
Eaton M22 modular pushbutton

Catalog Number
M22S-D-S-K01

UPC
786685275789

Product Length/Depth
1 in

Product Height
4 in

Product Width
4 in

Product Weight
0.1 lb

Warranty
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances
CE Marked
Bureau Veritas
GoST-R

Certifications
CSA Certified
CCC Marked
Lloyd's Register Certified

Catalog Notes
Positively driven contact blocks.

Powering Business Worldwide

Product specifications

Contact configuration

1 NC

Product category

Flush pushbutton

Actuator color

Black

Operating cycles

5 million

Size

22.5 mm

Enclosure

IP69K

IP67

Mounting method

Flush

Bezel

Black

Series

M22

Type

Pushbutton

Operating mode

Momentary

Illumination

Non-illuminated

Environmental rating

IP66, NEMA 4X, NEMA 13

Actuator function

Momentary

Button color

Black

Actuator

Button, flush

Degree of protection

NEMA 4X

Resources

Brochures

M22 Pilot Devices

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Installation instructions

M22 Operators and Accessories

Specifications and datasheets

Eaton Specification Sheet - M22S-D-S-K01

Warranty guides

Selling Policy 25-000 - Distribution and Control Products and Services

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia