Product specifications

Eaton M22-C3-M6V

Catalog Number: M22-C3-M6V

M22 Control Station, 22.5 mm, Buttons: Flush (3), Momentary, Non-illuminated, Button: Black, Red, Black, Inscription: UP, STOP, DOWN/ GB3, GB0, GB4, NO, NC, NO, IP66, UL (NEMA) Type 4X, 13, Vertical, Base: Black, Enclosure: Gray



General specifications

Product Name
Eaton M22 pushbutton control station

Catalog Number
M22-C3-M6V

UPC
786685283081

Product Length/Depth
6.02 in

Product Height
2.7 in

Product Width
3.15 in

Product Weight
1.275 lb

Warranty
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances
CE Marked
GoST-R
Bureau Veritas

Certifications
CSA Certified
CCC Marked
Lloyd's Register Certified

Catalog Notes
25% smaller depth than most competitor enclosures. Imoact resistant polycarbonate enclosure.

Powering Business Worldwide

Product specifications

Contact configuration

NO, NC, NO

Enclosure color

Gray

Etching code

GB3, GB0, GB4

Size

22.5 mm

Orientation

Vertical

Base

Black

Series

M22

Type

Control Station

Inscription

UP, STOP, DOWN

Environmental rating

IP66, NEMA 4X, NEMA 13

Illumination

Non-illuminated

Actuator function

Momentary

Button color

Black, red, black

Actuator

Pushbuttons, top: flush, middle: flush, bottom: flush

Resources

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Specifications and datasheets

Eaton Specification Sheet - M22-C3-M6V



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia