Product specifications

Eaton 3BR1224N125R

Catalog Number: 3BR1224N125R

Eaton BR convertible loadcenter,No feed-thru lugs, includes BREQS125 hold-down screw,Convertible main,125 A,C1R,Aluminum,Cover included,NEMA3R,Metallic,10 kAIC,BR,24 Circuits,12 Spaces,Four-wire,Three-phase,208 Y/120, 240 V

General specifications

Product Name
Eaton BR convertible loadcenter

Catalog Number
3BR1224N125R

UPC
786676003537

Product Length/Depth
5.19 in

Product Height
21 in

Product Width
14.31 in

Product Weight
20 lb

Warranty
10 year

Certifications
UL 67
UL 50

Catalog Notes
The maximum rating of the panel is the main breaker rating when used as service entrance equipment. Has notch for brhdk125 hold-down kit.

Product specifications

Number of spaces

12

Special features

No feed-thru lugs, includes BREQS125 hold-down screw

Interrupt rating

10 kAIC

Phase

Three-phase

Wire size

Determined by circuit breaker installed

Bus material

Aluminum

Main circuit breaker

BR

Enclosure

NEMA 3R

Amperage Rating

125 A

Enclosure material

Metallic

Type

Convertible main

Cover

Cover included

Used with

Type BR 1-inch breakers

Number of wires

4

Number of circuits

24

Voltage rating

208Y/120, 240V

Box size

C1R

Resources

Brochures

Loadcenters and Circuit Breakers

Type BR 3-Phase Loadcenters

Catalogs

Eaton's Volume 1—Residential and Light Commercial

Drawings

Dimensional Drawing - BR 1 LOADCENTER, BR CONVERTIBLE, OUTDOOR NEMA 3R, 120/240 VAC, 3 PHASE

Specifications and datasheets

Eaton Specification Sheet - 3BR1224N125R

3-Phase Loadcenter Program



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia