Product specifications

Eaton MBE1224PVL125F



Photo is representative

Catalog Number: MBE1224PVL125F

Eaton BR Solar Meter Breaker, BR solar-ready, BR main breaker, Side by side, 125A, 120/240V, 100 max PV input, 12 spaces, 24 circuits, 10 kAIC, Flush MTG, NEMA 3R Galvanized Steel enclosure, Box size 18, Al 125A bus, OH/UG feed

General specifications

Product Name
Eaton type BR solar power center meter breaker

Catalog Number
MBE1224PVL125F

UPC
786689019846

Product Length/Depth
5.31 in

Product Height
38 in

Product Width
18 in

Product Weight
47 lb

Warranty
10 year

Compliances
EUSERC Approved

Certifications
UL Listed

Powering Business Worldwide

defaultTaxonomyAttributeLabel

Special features

Side by side construction

Type

BR solar-ready

Enclosure material

Galvanized steel

Interrupt rating

10 kAIC

Enclosure

NEMA 3R

Input

125 A max PV input

Voltage rating

120/240 V

Number of sockets

1

Phase

Single-phase

Used with

Type BR breakers

Bus Rating

125 A

Number of circuits

24

Bus material

Aluminum

Feed type

Top/bottom

Main circuit breaker

BR

Resources

Specifications and datasheets

Eaton Specification Sheet - MBE1224PVL125F



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2024 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia