Product specifications

Eaton M22S-DL-G-K11-G

Catalog Number: M22S-DL-G-K11-G

Eaton M22 modular pushbutton, Complete Device, 22.5 mm, Flush, Momentary, Illuminated, Bezel: Black, Button: Green, 1NO-1NC, IP67, IP69K, NEMA 4X, 13, 12-30 Vac/dc



General specifications

Product Name
Eaton M22 modular pushbutton

Catalog Number
M22S-DL-G-K11-G

UPC
786685274263

Product Length/Depth
1.46 in

Product Height
3.19 in

Product Width
1.18 in

Product Weight
0.094 lb

Warranty
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Compliances
CE Marked
Bureau Veritas
GoST-R

Certifications
CCC Marked
CSA Certified
Lloyd's Register Certified

Catalog Notes
Positively driven contact blocks.

Powering Business Worldwide

Product specifications

Contact configuration

1 NO-1 NC

Special features

M22 series

Size

22.5 mm

Bezel

Black

Series

M22

Type

22.5 mm Modular

Illumination

Illuminated

Environmental rating

IP67, IP69K, NEMA 4X, NEMA 13

Actuator function

Momentary

Button color

Green

Voltage rating

12-30 Vac/dc

Application

Pushbutton

Actuator

Button, flush

Resources

Brochures

M22 Pilot Devices

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Installation instructions

M22 Operators and Accessories

Specifications and datasheets

Eaton Specification Sheet - M22S-DL-G-K11-G



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia