Product specifications

Eaton 5043PMURF

Catalog Number: 5043PMURF

Eaton LV Unipak capacitor bank, Low Voltage Fixed Capacitor Banks, 60A, 480V, Three-phase, 50 kVAR, Protected, Neon red blown-fuse indicating lights, Three slottedblade-type fuses, 14 ga. ST finished with durable powder coat finish, B1 FR



General specifications

Product Name
Eaton LV Unipak capacitor bank

Catalog Number
5043PMURF

UPC
782116058808

Product Length/Depth
11.054 in

Product Height
25.3 in

Product Width
10.1 in

Product Weight
48.1 lb

Warranty
Eaton Selling Policy 25-000, one (1) year from the date of installation of the Product or eighteen (18) months from the date of shipment of the Product, whichever occurs first.

Certifications
CSA Certified
UL Listed

Catalog Notes
Multiply the 240V kVAR rating by 0.75 to calculate the kVAR value at 208V.

Powering Business Worldwide

Product specifications

Fuse type

Three slottedblade type fuses with 200,000 ampere interrupting capacity, Fuses mounted on stand-off bushings or fuse blocks, solderless connectors for easy hookup of incoming line conductors.

Product Category

Low Voltage Fixed Capacitor Banks

Enclosure material

14 gauge steel finished with durable powder coat finish

Frame size

B1

Type

UNIPAK

Phase

Three-phase

Rating

50 kVAR

Enclosure

NEMA 1, NEMA 3R

Voltage rating

480 V

Amperage Rating

60A

Protection

Three fuses, three lights

Indicators

Red, neon blown-fuse indicating lights are protected by transparent weatherproof guard

Resources

Brochures

Low voltage fixed and switched capacitor banks

Catalogs

Eaton's Volume 3—Power Distribution and Control Assemblies

Specifications and datasheets

Eaton Specification Sheet - 5043PMURF

Low Voltage Power Factor Correction Capacitor Banks and Harmonic Filters



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia