Product specifications

Eaton FWJ-30A14F

Catalog Number: FWJ-30A14F

Eaton Bussmann series FWJ high speed fuse, 700 Vac/dc, 30A, 20 kAIC Vac/dc, Non Indicating, High speed fuse, Ferrule end X ferrule end

General specifications

Product Name
Eaton Bussmann series high speed cylindrical fuse

Catalog Number
FWJ-30A14F

UPC
051712796125

EAN
5027590499767

Product Length/Depth
60 mm

Product Height
40 mm

Product Width
86 mm

Product Weight
27.6 g

Warranty
Not Applicable

Compliances
CE Marked
RoHS Compliant

Certifications
UL Recognized

Product specifications

Fuse indicator
Non Indicating

Interrupt rating
25 kAIC

Construction size
14 mm x 51 mm

Clearing (I2T)
450

Connection
Ferrule end x ferrule end

Material
Ceramic

Release characteristic
Other

Amperage Rating
30 A

Frequency rating - max
62 Hz

Utilization category
aR (accompanied semiconductor protection)

Watt losses
14 W

Fuse type
FWJ-A14F

Accessories
CH14 Modular fuse holder
FW14-PCB

Type
High speed fuse

Fuse shape
Cylindrical

Breaking capacity
25 kA

Fuse size
14 x 51 mm

Resources

Catalogs
IEC high speed fuse links

Bussmann series complete full line catalog no. 1007

Frequency rating - min

45 Hz

Class

Class aR

Pre arc (I2T)

52

Voltage rating

500 V

Application

Semiconductor, DC Common bus, DC drives, Power converters/rectifiers

Voltage type

AC/DC

Packaging type

Standard

Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.

Eaton.com/socialmedia