Product specifications

Eaton 10250T4B62-3X

Catalog Number: 10250T4B62-3X

Eaton 30.5 mm Heavy-Duty Push-Pull Unit,Factory Assembled,Class I Division 2,Standard Actuator (button),Red,Plastic Bus,2NC,Non-illuminated,Three-position,Momentary push and pull, maintained intermediate,40 mm button,10250T Series



General specifications

Product Name
Eaton 10250T pushbutton

Catalog Number
10250T4B62-3X

UPC
782114272473

Product Length/Depth
1 in

Product Height
1 in

Product Width
1 in

Product Diameter
2.63 in

Product Weight
0.1 lb

Warranty
1 year

Compliances
CE Marked

Certifications
UL Listed
CSA Certified

Catalog Notes
Assembled at Factory

Powering Business Worldwide

Product specifications

Contact configuration

2 NC

Special features

Factory Assembled

Series

10250T

Number of positions

3

Type

Class I Division 2

Actuator color

Red

Operating mode

Push: momentary

Pull: momentary

Intermediate: maintained

Bus material

Plastic

Rating

NEC Class I Division 2, Groups B, C and D

NEMA 12

NEMA 4X

NEMA 4

NEMA 3R

NEMA 3

NEMA 13

Illumination

Non-illuminated

Size

40 mm

Actuator

Standard

Resources

Catalogs

Eaton's Volume 7—Logic Control, Operator Interface and Connectivity Solutions

Multimedia

How to size and select a Power Supply

Specifications and datasheets

Eaton Specification Sheet - 10250T4B62-3X



Eaton Corporation plc
Eaton House
30 Pembroke Road
Dublin 4, Ireland
Eaton.com

© 2023 Eaton. All Rights Reserved.

Eaton is a registered trademark.

All other trademarks are property of their respective owners.



Eaton.com/socialmedia